Journal of MOLECULAR BIOLOGY

Editors in Chief
J. C. KENDREW S. BRENNER

Editors

P. Chambon
G. A. Gilbert
M. Gottesman
I. Herskowitz
R. Huber
H. E. Huxley
A. Klug
B. Mach
K. Matsubara

Associate Editors

C. R. Cantor
V. Luzzati
J. H. Miller
M. F. Moody

Volume 181
5 January to 20 February 1985

ACADEMIC PRESS
(Harcourt Brace Jovanovich, Publishers)
London Orlando San Diego New York
Toronto Montreal Sydney Tokyo

Copyright © 1985, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

Contents of Volume 181

Number 1, 5 January 1985

McGeoch, D. J., Dolan, A., Donald, S. and Rixon, F. J., Sequence Determination and Genetic Content of the Short Unique Region in the Genome of Herpes Simplex Virus Type 1 1

Neuer, B. and Werner, D., Screening of Isolated DNA for Sequences Released from Anchorage Sites in Nuclear Matrix 15

Peeters, B. P. H., Peters, R. M., Schoenmakers, J. G. G. and Konings, R. N. H., Nucleotide Sequence and Genetic Organization of the Genome of the N-Specific Filamentous Bacteriophage IKe. Comparison with the Genome of the F-Specific Filamentous Phages M13, fd and f1 27

Diamond, D. J. and Goodman, H. M., Regulation of Growth Hormone Messenger RNA Synthesis by Dexamethasone and Triiodothyronine. Transcriptional Rate and mRNA Stability Changes in Pituitary Tumor Cells 41

Lockshon, D. and Morris, D. R., Sites of Reaction of *Escherichia coli* DNA Gyrase on pBR322 *in Vivo* as Revealed by Oxolinic Acid-induced Plasmid Linearization . . 63

Franklin, N. C., Conservation of Genome Form but not Sequence in the Transcription Antitermination Determinants of Bacteriophages λ, ϕ21 and P22 75

Franklin, N. C., *"N"* Transcription Antitermination Proteins of Bacteriophages λ, ϕ21 and P22. 85

Ackerman, E. J., Joachimiak, A., Klinghofer, V. and Sigler, P. B., Directly Photocrosslinked Nucleotides Joining Transfer RNA to Aminoacyl-tRNA Synthetase in Methionine and Tyrosine Systems 93

Michels, B., Dormoy, Y., Cerf, R., Schulz, J. A. and Witz, J., Ultrasonic Absorption in Tobacco Mosaic Virus and its Protein Aggregates 103

Davis, N. G., Boeke, J. D. and Model, P., Fine Structure of a Membrane Anchor Domain 111

Mandelkow, E.-M. and Mandelkow, E., Unstained Microtubules Studied by Cryo-electron Microscopy. Substructure, Supertwist and Disassembly 123

Letters to the Editor

Spouge, J. L., Improving Sequence-matching Algorithms by Working from Both Ends 137

Coleman, J., Inouye, M. and Nakamura, K., Mutations Upstream of the Ribosome-binding Site Affect Translational Efficiency 139

Dideberg, O., Libert, M., Frère, J. M., Charlier, P., Zhao, H. and Knox, J. R., Crystallization and Preliminary X-ray Data for the Exocellular β-Lactamase of *Bacillus licheniformis* 749/C 145

Rice, D. W., Hornby, D. P. and Engel, P. C., Crystallization of an NAD^+-dependent Glutamate Dehydrogenase from *Clostridium symbiosum* 147

Errata 151

Announcement 152

Number 2, 20 January 1985

Tsutsumi, K., Mukai, T., Tsutsumi, R., Hidaka, S., Arai, Y., Hori, K. and Ishikawa, K., Structure and Genomic Organization of the Rat Aldolase B Gene 153

Schindler, C. W. and Rush, M. G., The *Kpn*I Family of Long Interspersed Nucleotide Sequences is Present on Discrete Sizes of Circular DNA in Monkey (BSC-1) Cells . 161

Huang, C.-C., Hammond, C. and Bishop, J. M., Nucleotide Sequence and Topography of Chicken c-*fps*. Genesis of a Retroviral Oncogene Encoding a Tyrosine-specific Protein Kinase 175

Bauer, C. E., Gardner, J. F. and Gumport, R. I., Extent of Sequence Homology Required for Bacteriophage Lambda Site-specific Recombination 187

Stahl, F. W., Kobayashi, I. and Stahl, M. M., In Phage λ, *cos* is a Recombinator in the Red Pathway 199

Shea, M. A. and Ackers, G. K., The O_R Control System of Bacteriophage Lambda. A Physical-Chemical Model for Gene Regulation 211

Appendix. Evaluation of Model Parameters 224

Krowzynska, A., Yenofsky, R. and Brawerman, G., Regulation of Messenger RNA Stability in Mouse Erythroleukemia Cells 231

Kang, C. and Cantor, C. R., Structure of Ribosome-bound Messenger RNA as Revealed by Enzymatic Accessibility Studies 241

Greve, J. M. and Wassarman, P. M., Mouse Egg Extracellular Coat is a Matrix of Interconnected Filaments Possessing a Structural Repeat 253

Bonar, L. C., Lees, S. and Mook, H. A., Neutron Diffraction Studies of Collagen in Fully Mineralized Bone 265

Chen, C. B., Inoue, T. and Orgel, L. E., Template-directed Synthesis on Oligodeoxycytidylate and Polydeoxycytidylate Templates 271

Menetski, J. P. and Kowalczykowski, S. C., Interaction of recA Protein with Single-stranded DNA. Quantitative Aspects of Binding Affinity Modulation by Nucleotide Cofactors 281

Legerski, R. J. and Robberson, D. L., Analysis and Optimization of Recombinant DNA Joining Reactions 297

Appendix 310

Letters to the Editor

Johnston, T. C. and Parker, J., Streptomycin-induced, Third-position Misreading of the Genetic Code 313

Wodak, S. J., Alard, P., Delhaise, P. and Renneboog-Squilbin, C., Simulation of Conformational Changes in 2 Zn Insulin 317

Bone, S. and Pethig, R., Dielectric Studies of Protein Hydration and Hydration-induced Flexibility 323

Brunori, M., Condò, S. G., Bellelli, A., Giardina, B. and Micheli, G., Tadpole *Xenopus laevis* Hemoglobin. Correlation Between Structure and Functional Properties 327

Bode, W., Brzin, J. and Turk, V., Crystallization of Chicken Egg White Cystatin, a Low Molecular Weight Protein Inhibitor of Cysteine Proteinases, and Preliminary X-ray Diffraction Data 331

Number 3, 5 February 1985

Gargiulo, G., Razvi, F., Ruberti, I., Mohr, I. and Worcel, A., Chromatin-specific Hypersensitive Sites are Assembled on a *Xenopus* Histone Gene Injected into *Xenopus* Oocytes 333

Hoess, R. H. and Abremski, K., Mechanism of Strand Cleavage and Exchange in the Cre-*lox* Site-specific Recombination System 351

Sellem, C. H., Weiss, M. C. and Cassio, D., Activation of a Silent Gene is Accompanied by its Demethylation 363

Christie, G. E. and Calendar, R., Bacteriophage P2 Late Promoters. II. Comparison of the Four Late Promoter Sequences 373

Linder, P., Churchward, G., Guixian, X., Yi-Yi, Y. and Caro, L., An Essential Replication Gene *repA*, of Plasmid pSC101 is Autoregulated 383

Womble, D. D., Sampathkumar, P., Easton, A. M., Luckow, V. A. and Rownd, R. H., Transcription of the Replication Control Region of the IncFII R-Plasmid NR1 *in Vitro* and *in Vivo* 395

Reinach, F. C. and Fischman, D. A., Recombinant DNA Approach for Defining the Primary Structure of Monoclonal Antibody Epitopes. The Analysis of a Conformation-specific Antibody to Myosin Light Chain 2 411

Levitt, M., Sander, C. and Stern, P. S., Protein Normal-mode Dynamics: Trypsin Inhibitor, Crambin, Ribonuclease and Lysozyme 423

Letters to the Editor

Wigley, P. L., Sturm, R. A. and Wells, J. R. E., The Tissue-specific Chicken Histone H5 Gene is Transcribed with Fidelity in *Xenopus laevis* Oocytes 449

Weber, P. C., Salemme, F. R., Lin, S. H., Konishi, Y. and Scheraga, H. A., Preliminary Crystallographic Data for Cross-linked (Lysine^{7}-Lysine^{41})-Ribonuclease A 453

Number 4, 20 February 1985

Brahms, J. G., Dargouge, O., Brahms, S., Ohara, Y. and Vagner, V., Activation and Inhibition of Transcription by Supercoiling 455

Springer, M., Mayaux, J.-F., Fayat, G., Plumbridge, J. A., Graffe, M., Blanquet, S. and Grunberg-Manago, M., Attenuation Control of the *Escherichia coli* Phenylalanyl-tRNA Synthetase Operon 467

Incardona, N. L. and Müller, U. W., Eclipse Kinetics as a Probe of Quaternary Structure in Bacteriophage ϕX174 479

Winkelmann, D. A., Mekeel, H. and Rayment, I., Packing Analysis of Crystalline Myosin Subfragment-1. Implications for the Size and Shape of the Myosin Head. . 487

Schramm, H. J. and Jennissen, H. P., Two-dimensional Electron Microscopic Analysis of the Chalice Form of Phosphorylase Kinase 503

Jacobson, A. B., Kumar, H. and Zuker, M., Effect of Spermidine on the Conformation of Bacteriophage MS2 RNA. Electron Microscopy and Computer Modeling . . . 517

Tsalkova, T. N. and Privalov, P. L., Thermodynamic Study of Domain Organization in Troponin C and Calmodulin 533

Letters to the Editor

O'Connor, M. B. and Malamy, M. H., Mapping of DNA Gyrase Cleavage Sites *in Vivo*. Oxolinic Acid Induced Cleavages in Plasmid pBR322 545

Malamy, M. H., Rahaim, P. T., Hoffman, C. S., Baghdoyan, D., O'Connor, M. B. and Miller, J. F., A Frameshift Mutation at the Junction of an IS1 Insertion within *lacZ* Restores β-Galactosidase Activity *via* Formation of an Active *lacZ*-IS1 Fusion Protein. 551

Chantler, P. D., Regulatory Light Chains and Scallop Myosin. Form of Light Chain Removal or Reuptake is Dependent on the Presence of Divalent Cations . . 557

Brennan, R. G. and Sundaralingam, M., Crystallization and Preliminary Crystallographic Studies of the Decadeoxyoligonucleotide d(CpGpTpApCpGpTpApCpG) 561

Index to Volume 181

Abremski, K. (see also Hoess, R. H.), 351
Ackerman, E. J., Joachimiak, A., Klinghofer, V. & Sigler, P. B., Directly photocrosslinked nucleotides joining transfer RNA to aminoacyl-tRNA synthetase in methionine and tyrosine systems, 93
Ackers, G. K. (see also Shea, M. A.), 211
Activation of a silent gene is accompanied by its demethylation, 363
Alard, P. (see also Wodak, S. J.), 317
Aldolase B gene, rat, structure and genomic organization, 153
Algorithms, sequence-matching, improvement by working from both ends, 137
Aminoacyl-tRNA synthetase joined to tRNA by directly photocrosslinked nucleotides in methionine and tyrosine system, 93
Anchor domain, membrane; fine structure, 111
Anchorage sites in nuclear matrix, screening of isolated DNA for released sequences, 15
Antibody, conformation-specific, to myosin light chain 2, 411
Arai, Y. (see also Tsutsumi, K.), 153
Assembly: chromatin-specific hypersensitive sites are assembled on a *Xenopus* histone gene injected into *Xenopus* oocytes, 333
Attenuation control of the *Escherichia coli* phenylalanyl-tRNA synthetase operon, 467
Autoregulation of *repA* gene of plasmid pSC101, 383

Bacillus licheniformis 749/C, crystallization and preliminary X-ray data for the exocellular β-lactamase, 145
Bacteriophage IKe, nucleotide sequence and genetic organization of the genome; comparison with the genome of phage M13, fd and f1, 27
Bacteriophage lambda, *cos* is a recombinator in the Red pathway, 199
Bacteriophage lambda O_R control system. A physical-chemical model for gene regulation, 211
Bacteriophage lambda site-specific recombination, the extent of sequence homology required, 187
Bacteriophage MS2 RNA, effect of spermidine on the conformation; electron microscopy and computer modeling, 517
Bacteriophage P2 late promoters. Comparison of the four late promoter sequences, 373
Bacteriophage ϕX174, eclipse kinetics as a probe of quaternary structure, 479
Bacteriophages λ, ϕ21 and P22, conservation of genome form but not sequence in the transcription antitermination determinants, 75
Bacteriophage λ, ϕ21 and P22; "*N*" transcription antitermination proteins, 85
Boghdoyan, D. (see also Malamy, M. H.), 551
Bauer, C. E., Gardner, J. F. & Gumport, R. L., Extent of sequence homology required for bacteriophage lambda site-specific recombination, 187
Bellelli, A. (see also Brunori, M.), 327
Binding affinity modulation by nucleotide cofactors, quantitative aspects. Interaction of recA protein with single-stranded DNA, 281
Bishop, J. M. (see also Huang, C.-C.), 175
Blanquet, S. (see also Springer, M.), 467
Bode, W., Brzin, J. & Turk, V., Crystallization of chicken egg white cystatin, a low molecular weight protein inhibitor of cysteine proteinases, and preliminary X-ray diffraction data, 331
Boeke, J. D. (see also Davis, N. G.), 111
Bonar, L. C., Lees, S. & Mook, H. A., Neutron diffraction studies of collagen in fully mineralized bone, 265
Bone, S. & Pethig, R. Dielectric studies of protein hydration and hydration-induced flexibility, 323
Bone, fully mineralized, neutron diffraction studies of collagen, 265
Brahms, J. G., Dargouge, O., Brahms, S., Ohara, Y. & Vagner, V., Activation and inhibition of transcription by supercoiling, 455
Brahms, S. (see also Brahms, J. G.), 455
Brawerman, G. (see also Krowzynska, A.), 231
Brennan, R. G. & Sundaralingam, M., Crystallization and preliminary crystallographic studies of the decadeoxyoligonucleotide d(CpGpTpApCpGpTpApCpG), 561
Brunori, M., Condò, S. G., Bellelli, A., Giardina, B. & Micheli, G., Tadpole *Xenopus laevis* hemoglobin. Correlation between structure and functional properties, 327
Brzin, J. (see also Bode, W.), 331
BSC-1 cells, monkey, the *Kpn*I family of long interspersed nucleotide sequences is present on discrete sizes of circular DNA, 161

Calendar, R. (see also Christie, G. E.), 373
Calmodulin, thermodynamic study of domain organization, 533
Cantor, C. R. (see also Kang, C.), 241
Caro, L. (see also Linder, P.), 383
Cassio, D. (see also Sellem, C. H.), 363
Cerf, R. (see also Michels, B.), 103
c-*fps*, chicken, Nucleotide sequence and topography. Genesis of a retroviral oncogene encoding a tyrosine-specific protein kinase, 175
Chalice form of phosphorylase kinase, two-dimensional electron microscopic analysis, 503
Chantler, P. D., Regulatory light chains and scallop myosin. Form of light chain removal or reuptake is dependent on the presence of divalent cations, 557
Charlier, P. (see also Dideberg, O.), 145
Chen, C. B., Inoue, T. & Orgen, L. E., Template-directed synthesis on oligodeoxycytidylate and polydeoxycytidylate templates, 271
Chicken c-*fps*, nucleotide sequence and topography. Genesis of a retroviral oncogene encoding a tyrosine-specific protein kinase, 175
Chicken egg white cystatin, crystallization and preliminary X-ray diffraction data, 331
Chicken histone H5 gene is transcribed with fidelity in *Xenopus laevis* oocytes, 449
Christie, G. E. & Calendar, R., Bacteriophage P2 late promoters. II. Comparison of the four late promoter sequences, 373
Chromatin-specific hypersensitive sites are assembled on a *Xenopus* histone gene injected into *Xenopus* oocytes, 333
Churchward, G. (see also Linder, P.), 383
Cleavage and exchange mechanism in the Cre-*lox* site-specific recombination system, 351
Cleavage sites, DNA gyrase, mapping *in vivo*. Oxolinic acid induced cleavages in plasmid pBR322, 545
Clostridium symbiosum, crystallization of an NAD^+-dependent glutamate dehydrogenase, 147
Coleman, J., Inouye, M. & Nakamura, K., Mutations upstream of the ribosome-binding site affect translational efficiency, 139
Collagen in fully mineralized bone, neutron diffraction studies, 265
Condò, S. G. (see also Brunori, M.), 327
Conformation of bacteriophage MS2 RNA, effect of spermidine; electron microscopy and computer modeling, 517
Conformational changes in 2 Zn insulin, simulation, 317
Conformation-specific antibody to myosin light chain 2, 411
Conservation of genome form but not sequence in the transcription antitermination determinants of bacteriophages λ, ϕ21 and P22, 75
Crambin, normal-mode dynamics, 423
Cross-linked (lysine^7-lysine^{41})-ribonuclease A, preliminary crystallographic data, 453

Cryo-electron microscopy study of unstained microtubules. Substructure, supertwist and disassembly, 123
Crystalline myosin subfragment-1, packing analysis. Implications for the size and shape of the myosin head, 487
Crystallization of chicken egg white cystatin, a low molecular weight protein inhibitor of cysteine proteinases, and preliminary X-ray diffraction data, 331
Crystallization of an NAD^+-dependent glutamate dehydrogenase from *Clostridium symbiosum*, 147
Crystallization and preliminary crystallographic studies of the decadeoxyoligonucleotide d(CpGpTpApCpGpTpApCpG), 561
Crystallization and preliminary X-ray data for the exocellular β-lactamase of *Bacillus licheniformis* 749/C, 145
Crystallographic data, preliminary, for cross-linked (lysine^7-lysine^{41})-ribonuclease A, 453
Crystallographic studies of the decadeoxyoligonucleotide d(CpGpTpApCpGpTpApCpG), 561
Cystatin, chicken egg white, crystallization and preliminary X-ray diffraction data, 331

Dargouge, O. (see also Brahms, J. G.), 455
Davis, N. G., Boeke, J. D. & Model, P., Fine structure of a membrane anchor domain, 111
d(CpGpTpApCpGpTpApCpG), crystallization and preliminary crystallographic studies, 561
Decadeoxyoligonucleotide d(CpGpTpApCpGpTpApCpG), crystallization and preliminary crystallographic studies, 561
Delhaise, P. (see also Wodak, S. J.), 317
Demethylation accompanies activation of a silent gene, 363
DNA, circular, in monkey (BSC-1) cells, the *Kpn*I family of long interspersed nucleotide sequences is present on discrete sizes, 161
DNA gyrase cleavage site mapping *in vivo*. Oxolinic acid induced cleavages in plasmid pBR322, 545
DNA gyrase, *Escherichia coli*, sites of reaction on pBR322 *in vivo* as revealed by oxolinic acid-induced plasmid linearization, 63
DNA, isolated, screening for sequences released from anchorage sites in nuclear matrix, 15
DNA, recombinant, joining reactions, analysis and optimization, 297
DNA, single-stranded, interaction with recA protein. Quantitative aspects of binding affinity modulation by nucleotide cofactors, 281
Dexamethasone regulation of growth hormone mRNA synthesis. Transcriptional rate and mRNA stability changes in pituitary tumor cells, 41
Diamond, D. J. & Goodman, H. M., Regulation of growth hormone messenger RNA synthesis by dexamethasone and triiodothyronine. Transcriptional rate and mRNA stability changes in pituitary tumor cells, 41
Dideberg, O., Libert, M., Frère, J. M., Charlier, P., Zhao, H. & Knox, J. R., Crystallization and preliminary X-ray data for the exocellular β-lactamase of *Bacillus licheniformis* 749/C, 145
Dielectric studies of protein hydration and hydration-induced flexibility, 323
Disassembly in unstained microtubules studied by cryo-electron microscopy, 123
Divalent cations, the form of light chain removal or reuptake is dependent on their presence; regulatory light chains and scallop myosin, 557
Dolan, A. (see also McGeoch, D. J.), 1
Domain organization in troponin C and calmodulin, thermodynamic study, 533
Donald, S. (see also McGeoch, D. J.), 1
Dormoy, Y. (see also Michels, B.), 103
Dynamics, normal-mode, for crambin, trypsin inhibitor, ribonuclease and lysozyme, 423

Easton, A. M. (see also Womble, D. D.), 395
Eclipse kinetics as a probe of quaternary structure in bacteriophage φX174, 479
Egg, mouse, the extracellular coat is a matrix of interconnected filaments possessing a structural repeat, 253
Electron microscopic two-dimensional analysis of the chalice form of phosphorylase kinase, 503
Electron microscopy and computer modeling study of the effect of spermidine on the conformation of bacteriophage MS2 RNA, 517
Engel, P. C. (see also Rice, D. W.), 147
Enzymatic accessibility study of the structure of ribosome-bound mRNA, 241
Epitope structure in myosin light chain 2, 411
Erythroleukemia cells, mouse, regulation of mRNA stability, 231
Escherichia coli DNA gyrase, sites of reaction on pBR322 *in vivo* as revealed by oxolinic acid-induced plasmid linearization, 63
Escherichia coli phenylalanyl-tRNA synthetase operon, and attenuation control, 467

f1 (see also Bacteriophage), 27
Fayat, G. (see also Springer, M.), 457
fd (see also Bacteriophage), 27
Filamentous bacteriophages (see also Bacteriophage), 27
Filaments: the mouse egg extracellular coat is a matrix of interconnected filaments possessing a structural repeat, 253
Fischman, D. A. (see also Reinach, F. C.), 411
Frameshift mutation at the junction of an IS1 insertion within *lacZ* restores β-galactosidase activity *via* formation of an active *lacZ*-IS1 fusion protein, 551
Franklin, N. C., Conservation of genome form but not sequence in the transcription antitermination determinants of bacteriophages λ, φ21 and P22, 75
Franklin, N. C., "*N*" transcription antitermination proteins of bacteriophages λ, φ21 and P22, 85
Frère, J. M. (see also Dideberg, O.), 145

β-Galactosidase activity is restored by a frameshift mutation at the junction of an IS1 insertion within *lacZ*, *via* formation of an active *lacZ*-IS1 fusion protein, 551
Gardner, J. F. (see also Bauer, C. E.), 187
Gargiulo, G., Razvi, F., Ruberti, I., Mohr, I. & Worcel, A., Chromatin-specific hypersensitive sites are assembled on a *Xenopus* histone gene injected into *Xenopus* oocytes, 333
Gene, aldolase B, rat, structure and genomic organization, 153
Gene, chicken histone H5, is transcribed with fidelity in *Xenopus laevis* oocytes, 449
Gene, histone, *Xenopus*, injected into *Xenopus* oocytes, and the assembly of chromatin-specific hypersensitive sites, 333
Gene regulation, a physical-chemical model; the O_R control system of bacteriophage lambda, 211
Gene *repA* of plasmid pSC101 is autoregulated, 383
Gene, silent, activation is accompanied by its demethylation, 363
Genetic code, streptomycin-induced third-position misreading, 313
Genome form conservation but not sequence conservation in the transcription antitermination determinants of bacteriophages λ, φ21 and P22, 75
Genome of herpes simplex virus type 2, sequence determination of genetic content, 1
Genome of the N-specific filamentous bacteriophage IKe, nucleotide sequence and genetic organization; comparison with the genome of the F-specific filamentous phages M13, fd and f1, 27
Genomic organization and structure of the rat aldolase B gene, 153
Giardina, B. (see also Brunori, M.), 327
Glutamate dehydrogenase, NAD^+-dependent, from *Clostridium symbiosum*; crystallization, 147
Goodman, H. M. (see also Diamond, D. J.), 41
Graffe, M. (see also Springer, M.), 467
Greve, J. M. & Wassarman, P. M., Mouse egg extracellular coat is a matrix of interconnected filaments possessing a structural repeat, 253
Growth hormone mRNA synthesis, regulation by dexamethasone and triiodothyronine. Transcriptional rate and mRNA stability changes in pituitary tumour cells, 41
Grunberg-Manago, M. (see also Springer, M.), 467
Guixian, X. (see also Linder, P.), 383
Gumport, R. L. (see also Bauer, C. E.), 187

HAMMOND, C. (see also HUANG, C.-C.), 175
Hemoglobin, tadpole *Xenopus leavis*, correlation between structure and functional properties, 327
Herpes simplex virus type 2 (see also Virus), 1
HIDAKA, S. (see also TSUTSUMI, K.), 153
Histone gene, *Xenopus*, injected into *Xenopus* oocytes, and the assembly of chromatin-specific hypersensitive sites, 333
Histone H5 gene, chicken, is transcribed with fidelity in *Xenopus laevis* oocytes, 449
HOESS, R. H. & ABREMSKI, K., Mechanism of strand cleavage and exchange in the Cre-*lox* site-specific recombination system, 351
HOFFMAN, C. S. (see also MALAMY, M. H.), 551
HORI, K. (see also TSUTSUMI, K.), 153
HORNBY, D. P. (see also RICE, D. W.), 147
HUANG, C.-C., HAMMOND, C. & BISHOP, J. M., Nucleotide sequence and topography of chicken c-*fps*. Genesis of a retroviral oncogene encoding a tyrosine-specific protein kinase, 175
Hydration, protein, and hydration-induced flexibility, dielectric studies, 323
Hypersensitive sites, chromatin-specific, are assembled on a *Xenopus* histone gene injected into *Xenopus* oocytes, 333

IKe (see also Bacteriophage), 27
INCARDONA, N. L. & MÜLLER, U. W., Eclipse kinetics as a probe of quaternary structure in bacteriophage ϕX174, 479
IncFII R-plasmid NR1, transcription of the replication control region *in vitro* and *in vivo*, 395
INOUE, T. (see also CHEN, C. B.), 271
INOUYE, M. (see also COLEMAN, J.), 139
Insulin, 2 Zn, simulation of conformational changes, 317
IS1 insertion within *lacZ*, a frameshift mutation at the junction restores β-galactosidase activity *via* formation of an active *lacZ*-IS1 fusion protein, 551
ISHIKAWA, K. (see also TSUTSUMI, K.), 153

JACOBSON, A. B., KUMAR, H. & ZUKER, M., Effect of spermidine on the conformation of bacteriophage MS2 RNA. Electron microscopy and computer modeling, 517
JENNISSEN, H. P. (see also SCHRAMM, H. J.), 503
JOACHIMIAK, A. (see also ACKERMANN, E. J.), 93
JOHNSTON, T. C. & PARKER, J., Streptomycin-induced, third-position misreading of the genetic code, 313
Joining reactions, recombinant DNA, analysis and optimization, 297

KANG, C. & CANTOR, C. R., Structure of ribosome-bound messenger RNA as revealed by enzymatic accessibility studies, 241
KLINGHOFER, V. (see also ACKERMAN, E. J.), 93
KNOX, J. R. (see also DIDEBERG, O.), 145
KOBAYASHI, I. (see also STAHL, F. W.), 199
KONINGS, R. N. H. (see also PEETERS, B. P. H.), 27
KONISHI, Y. (see also WEBER, P. C.), 453
KOWALCZYKOWSKI, S. C. (see also MENETSKI, J. P.), 281
*Kpn*I family of long interspersed nucleotide sequences is present on discrete sizes of circular DNA in monkey (BSC-1) cells, 161
KROWZYNSKA, A., YENOFSKY, R. & BRAWERMAN, G., Regulation of messenger RNA stability in mouse erythroleukemia cells, 231
KUMAR, H. (see also JACOBSON, A. B.), 517

β-Lactamase, exocellular, of *Bacillus licheniformis* 749/C, crystallization and preliminary X-ray data, 145
lacZ, a frameshift mutation at the junction of an IS insertion restores β-galactosidase activity *via* formation of an active *lacZ*-IS1 fusion protein, 551
λ (see also Bacteriophage), 75, 85, 187, 199, 211
Late promoters, bacteriophage P2; comparison of the four late promoter sequences, 373
LEES, S. (see also BONAR, *L. C.*), 265
LEGERSKI, R. J. & ROBERTSON, D. L., Analysis and optimization of recombinant DNA joining reactions, 297
LEVITT, M., SANDER, C. & STERN, P. S., Protein normal-mode dynamics: trypsin inhibitor, crambin, ribonuclease and lysozyme, 423
LIBERT, M. (see also DIDEBERG, O.), 145
Light chains, regulatory, and scallop myosin. Form of light chain removal or reuptake is dependent on the presence of divalent cations, 557
LIN, S. H. (see also WEBER, P. C.), 453
LINDER, P., CHURCHWARD, G., GUIXIAN, X., YI-YI, Y. & CARO, L., An essential replication gene *repA*, of plasmid pSC101 is autoregulated, 383
LOCKSHON, D. & MORRIS, D. R., Sites of reaction of *Escherichia coli* DNA gyrase on pBR322 *in vivo* as revealed by oxolinic acid-induced plasmid linearization, 63
lox sites: mechanism of strand cleavage and exchange in the Cre-*lox* site-specific recombination system, 351
LUCKOW, V. A. (see also WOMBLE, D. D.), 395
(Lysine^7-lysine^{41})-ribonuclease A, preliminary crystallographic data, 453
Lysozyme, normal-mode dynamics, 423

M13 (see also Bacteriophage), 27
MCGEOGH, D. J., DOLAN, A., DONALD, S. & RIXON, F. J., Sequence determination and genetic content of the short unique region in the genome of herpes simplex virus type 1, 1
MALAMY, M. H., RAHAIM, P. T., HOFFMAN, C. S., BAGHDOYAN, D., O'CONNOR, M. B. & MILLER, J. F., A frameshift mutation at the junction of an IS1 insertion within *lacZ* restores β-galactosidase activity *via* formation of an active *lacZ*-IS1 fusion protein, 551
MALAMY, M. H., (see also O'CONNOR, M. B.), 545
MANDELKOW, E. (see also MANDELKOW, E.-M.), 123
MANDELKOW, E.-M. & MANDELKOW, E., Unstained microtubules studied by cryo-electron microscopy. Substructure, supertwist and disassembly, 123
Mapping of DNA gyrase cleavage sites *in vivo*. Oxolinic acid induced cleavages in plasmid pBR322, 545
MAYAUX, J.-F. (see also SPRINGER, M.), 467
MS2 (see also Bacteriophage), 517
MEKEEL, H. (see also WINKELMANN, D. A.), 487
Membrane anchor domain, fine structure, 111
MENETSKI, J. P. & KOWALCZYKOWSKI, S. C., Interaction of recA protein with single-stranded DNA. Quantitative aspects of binding affinity modulation by nucleotide cofactors, 281
Messenger RNA, growth hormone, synthesis regulation by dexamethasone and triiodothyronine; transcriptional rate and mRNA stability changes in pituitary tumor cells, 41
Messenger RNA, ribosome-bound, structure as revealed by enzymatic accessibility studies, 241
Messenger RNA stability regulation in mouse erythroleukemia cells, 231
Messenger RNA synthesis, growth hormone, regulation by dexamethasone and triiodothyronine. Transcriptional rate and mRNA stability changes in pituitary tumor cells, 41
Methionine systems, directly photocrosslinked nucleotides joining tRNA to aminoacyl-tRNA synthetase, 93
MICHELI, G. (see also BRUNORI, M.), 327
MICHELS, B., DORMOY, Y., CERF, R., SCHULZ, J. A. & WITZ, J., Ultrasonic absorption in tobacco mosaic virus and its protein aggregates, 103
Microtubules, unstained, studied by cryo-electron microscopy. Substructure, supertwist and disassembly, 123
MILLER, J. F. (see also MALAMY, M. H.), 551
Misreading, third-position, streptomycin-induced, of the genetic code, 313
MODEL, P. (see also DAVIS, N. G.), 111
MOHR, I. (see also GARGIULO, G.), 333
Monkey (BSC-1) cells, the *Kpn*I family of long interspersed nucleotide sequences is present on discrete sizes of circular DNA, 161
Monoclonal antibody epitopes, the recombinant DNA approach for defining the primary structure; analysis of a conformation-specific antibody to myosin light chain 2, 411
MOOK, H. A. (see also BONAR, L. C.), 265
MORRIS, D. R. (see also LOCKSHON, D.), 63
Mouse egg extracellular coat is a matrix of interconnected filaments possessing a structural repeat, 253

Mouse erythroleukemia cells, regulation of mRNA stability, 231
Mukai, T. (see also Tsutsumi, K.), 153
Müller, U. W. (see also Incardona, N. L.), 479
Mutation, frameshift, at the junction of an IS1 insertion within *lacZ* restores β-galactosidase activity *via* formation of an active *lacZ*-IS1 fusion protein, 551
Mutations upstream of the ribosome-binding site affect translational efficiency, 139
Myosin light chain 2, a conformation-specific antibody, 411
Myosin, scallop, and regulatory light chains. Form of light chain removal or reuptake is dependent on the presence of divalent cations, 557
Myosin subfragment-1, crystalline, packing analysis; implications for the size and shape of the myosin head, 487

"*N*" transcription antitermination proteins of bacteriophage λ, φ21 and P22, 85
NAD^+-dependent glutamate dehydrogenase from *Clostridium symbiosum*, crystallization, 147
Nakamura, K. (see also Coleman, J.), 139
Neuer, B. & Werner, D., Screening of isolated DNA for sequences released from anchorage sites in nuclear matrix, 15
Neutron diffraction studies of collagen in fully mineralized bone, 265
Normal-mode dynamics: trypsin inhibitor, crambin, ribonuclease and lysozyme, 423
NR1 plasmid, transcription of the replication control region *in vitro* and *in vivo*, 395
Nuclear matrix, screening of isolated DNA for sequences released from anchorage sites, 15
Nucleotide sequence and genetic organization of the genome of the N-specific filamentous bacteriophage IKe. Comparison with the genome of the F-specific filamentous phages M13, fd and f1, 27
Nucleotide sequence and topography of chicken c-*fps*. Genesis of a retroviral oncogene encoding a tyrosine-specific protein kinase, 175
Nucleotide sequences, long interspersed, the *Kpn*I family is present on discrete sizes of circular DNA in monkey (BSC-1) cells, 161
Nucleotides, directly photocrosslinked, joining tRNA to aminoacyl-tRNA synthetase in methionine and tyrosine systems, 93

O_R control system of bacteriophage lambda. A physical-chemical model for gene regulation, 211
O'Connor, M. B. & Malamy, M. H., Mapping of DNA gyrase cleavage sites *in vivo*. Oxolinic acid induced cleavages in plasmid pBR322, 545
O'Connor, M. B. (see also Malamy, M. H.), 551
Ohara, Y. (see also Brahms, J. G.), 455
Oligodeoxycytidylate template synthesis, 271
Oncogene, retroviral, encoding a tyrosine-specific protein kinase; genesis. Nucleotide sequence and topography of chicken c-*fps*, 175
Orgel, L. E. (see also Chen, C. B.), 271
Oxolinic acid-induced cleavages in plasmid pBR322. Mapping of DNA gyrase cleavage sites *in vivo*, 545
Oxolinic acid-induced plasmid linearization reveals sites of reaction of *Escherichia coli* DNA gyrase on pBR322 *in vivo*, 63

P2 (see also Bacteriophage), 373
P22 (see also Bacteriophage), 75, 85
Packing analysis of crystalline myosin subfragment-1. Implications for the size and shape of the myosin head, 487
Parker, J. (see also Johnston, T. C.), 313
pBR322 plasmid, oxolinic acid induced cleavages; mapping of DNA gyrase cleavage sites *in vivo*, 545
pBR322 sites of reaction of *Escherichia coli* DNA gyrase *in vivo* as revealed by oxolinic acid-induced plasmid linearization, 63
Peeters, B.P.H., Peters, R. M., Schoenmakers, J. G. G. & Konings, R. N. H., Nucleotide sequence and genetic organization of the genome of the N-specific filamentous bacteriophage IKe. Comparison with the genome of the F-specific filamentous phages M13, fd and f1, 27
Peters, R. M. (see also Peeters, B. P. H.), 27
Pethig, R. (see also Bone, S.), 323
Phenylalanyl-tRNA synthetase operon, *Escherichia coli*, and attenuation control, 467
φ21 (see also Bacteriophage), 75, 85
φX174 (see also Bacteriophage), 479
Phosphorylase kinase, two-dimensional electron microscopic analysis of the chalice form, 503
Photocrosslinked nucleotides joining tRNA to aminoacyl-tRNA synthetase in methionine and tyrosine systems, 93
Pituitary tumor cells, transcriptional rate and mRNA stability changes; regulation of growth hormone mRNA synthesis by dexamethasone and triiodothyronine, 41
Plasmid linearization, oxolinic acid-induced, reveals sites of reaction of *Escherichia coli* DNA gyrase on the pBR322 *in vivo*, 63
Plasmid NR1, transcription of the replication control region *in vitro* and *in vivo*, 395
Plasmid pBR322, oxolinic acid induced cleavages; mapping of DNA gyrase cleavage sites *in vivo*, 545
Plumbridge, J. A. (see also Springer, M.), 467
Polydeoxycytidylate template synthesis, 271
Privalov, P. L. (see also Tsalkova, T. N.), 533
Protein aggregates of tobacco mosaic virus, ultrasonic absorption, 103
Protein hydration and hydration-induced flexibility, dielectric studies, 323
Protein normal-mode dynamics: trypsin inhibitor, crambin, ribonuclease and lysozyme, 423
Proteins, "*N*" transcription antitermination, of bacteriophages λ, φ21 and P22, 85

Rahaim, P. T. (see also Malamy, M. H.), 551
Rat aldolase B gene, structure and genomic organization, 153
Rayment, I. (see also Winkelmann, D. A.), 487
Razvi, F. (see also Gargiulo, G.), 333
recA protein, interaction with single-stranded DNA. Quantitative aspects of binding affinity modulation by nucleotide cofactors, 281
Recombinant DNA approach for defining the primary structure of monoclonal antibody epitopes. The analysis of a conformation-specific antibody to myosin light chain 2, 411
Recombinant DNA joining reactions, analysis and optimization, 297
Recombination, bacteriophage λ, *cos* is a recombinator in the Red pathway, 199
Recombination, site-specific, bacteriophage lambda, and the extent of sequence homology required, 187
Recombination system, Cre-*lox* site specific, and the mechanism of strand cleavage and exchange, 351
Red pathway, in phage λ, *cos* is a recombinator, 199
Regulation, gene, a physical-chemical model; the O_R control system of bacteriophage lambda, 211
Regulation of growth hormone mRNA synthesis by dexamethasone and triiodothyronine. Transcriptional rate and mRNA stability changes in pituitary tumor cells, 41
Regulation of mRNA stability in mouse erythroleukemia cells, 231
Regulatory light chains and scallop myosin. Form of light chain removal or reuptake is dependent on the presence of divalent cations, 557
Reinach, F. C. & Fischman, D. A., Recombinant DNA approach for defining the primary structure of monoclonal antibody epitopes. The analysis of a conformation-specific antibody to myosin light chain 2, 411
Renneboog-Squilbin, C. (see also Wodak, S. J.), 317
repA gene of plasmid pSC101 is autoregulated, 383
Replication control region region of the IncFII R-plasmid NR1, transcription *in vitro* and *in vivo*, 395
Replication gene *repA* of plasmid pSC101 is autoregulated, 383
Retroviral oncogene encoding a tyrosine-specific protein kinase, genesis. Nucleotide sequence and topography of chicken c-*fps*, 175
Ribonuclease, normal-mode dynamics, 423

RNA, bacteriophage MS2, effect of spermidine on the conformation; electron microscopy and computer modeling, 517
Ribosome-binding site, mutations upstream affect translational efficiency, 139
Ribosome-bound mRNA, structure as revealed by enzymatic accessibility studies, 241
Rice, D. W., Hornby, D. P. & Engel, P. C., Crystallization of an NAD^+-dependent glutamate dehydrogenase from *Clostridium symbiosum*, 147
Rixon, F. J. (see also McGeoch, D. J.), 1
Robberson, D. L. (see also Legerski, R. J.), 297
Rownd, R. H. (see also Womble, D. D.), 395
Ruberti, I. (see also Gargiulo, G.), 333
Rush, M. G. (see also Schindler, C. W.), 161

Salemme, F. R. (see also Weber, P. C.), 453
Sampathkumar, P. (see also Womble, D. D.), 395
Sander, C. (see also Levitt, M.), 423
Scallop myosin and regulatory light chains. Form of light chain removal or reuptake is dependent on the presence of divalent cations, 557
Scheraga, H. A. (see also Weber, P. C.), 453
Schindler, C. W. & Rush, M. G., The *Kpn*I family of long interspersed nucleotide sequences is present on discrete sizes of circular DNA in monkey (BSC-1) cells, 161
Schoenmakers, J. G. G. (see also Peeters, B. P. H.), 27
Schramm, H. J. & Jennissen, H. P., Two-dimensional electron microscopic analysis of the chalice form of phosphorylase kinase, 503
Schulz, J. A. (see also Michels, B.), 103
Sellem, C. H., Weiss, M. C. & Cassio, D., Activation of a silent gene is accompanied by its demethylation, 363
Sequence determination of genetic content of the short unique region in the genome of herpes simplex virus type 1, 1
Sequence homology required for bacteriophage lambda site-specific recombination, 187
Sequence, nucleotide, and genetic organization of the genome of the N-specific filamentous bacteriophage IKe. Comparison with the genome of the F-specific filamentous phages M13, fd and f1, 27
Sequence, nucleotide, and topography of chicken c-*fps*. Genesis of a retroviral oncogene encoding a tyrosine-specific protein kinase, 175
Sequence-matching algorithms, improvement by working from both ends, 137
Sequences, nucleotide, long interspersed, the *Kpn*I family is present on discrete sizes of circular DNA in monkey (BSC-1) cells, 161
Sequences, P2 late promoter, a comparison, 373
Sequences released from anchorage sites in nuclear matrix, screening of isolated DNA, 15
Shea, M. A. & Ackers, G. K., The O_R control system of bacteriophage lambda. A physical-chemical model for gene regulation, 211
Sigler, P. B. (see also Ackerman, E. J.), 93
Spermidine, effect on the conformation of bacteriophage MS2 RNA. Electron microscopy and computer modeling, 517
Spouge, J. L., Improving sequence-matching algorithms by working from both ends, 137
Springer, M., Mayaux, J.-F., Fayat, G., Plumbridge, J. A., Graffe, M., Blanquet, S. & Grunberg-Manago, M., Attenuation control of the *Escherichia coli* phenylalanyl-tRNA synthetase operon, 467
Stahl, M. M. (see also Stahl, F. W.), 199
Stahl, F. W., Kobayashi, I. & Stahl, M. M., In phage λ, *cos* is a recombinator in the Red pathway, 199
Stern, P. S. (see also Levitt, M.), 423
Strand cleavage and exchange mechanism in the Cre-*lox* site-specific recombination system, 351
Streptomycin-induced, third-position misreading of the genetic code, 313
Structural repeat in mouse egg extracellular coat matrix of interconnected filaments, 253
Structure, correlation with functional properties, for tadpole *Xenopus laevis* hemoglobin, 327
Structure, fine, of a membrane anchor domain, 111
Structure and genomic organization of the rat aldolase B gene, 153
Structure of monoclonal antibody epitopes, the recombinant DNA approach; analysis of a conformation-specific antibody to myosin light chain 2, 411
Structure, quaternary, in bacteriophage ϕX174, eclipse kinetics as a probe, 479
Structure of ribosome-bound mRNA as revealed by enzymatic accessibility studies, 241
Structure of unstained microtubules studied by cryo-electron microscopy, 123
Sturm, R. A. (see also Wigley, P. L.), 449
Sundaralingam, M. (see also Brennan, R. G.), 561
Supercoiling, and the activation and inhibition of transcription, 455
Supertwist in unstained microtubules studied by cryo-electron microscopy, 123
Synthesis on oligodeoxycytidylate and polydeoxycytidylate templates, 271

Tadpole *Xenopus laevis* hemoglobin. Correlation between structure and functional properties, 327
Template-directed synthesis on oligodeoxycytidylate and polydeoxycytidylate templates, 271
Thermodynamic study of domain organization in troponin C and calmodulin, 533
Tobacco mosaic virus (see also Virus), 103
Transcription, activation and inhibition by supercoiling, 455
Transcription antitermination determinants of bacteriophages λ, ϕ21 and P22, conservation of genome form but not sequence, 75
Transcription antitermination proteins of bacteriophages λ, ϕ21 and P22, 85
Transcription with fidelity of chicken histone H5 genes in *Xenopus laevis* oocytes, 449
Transcription of the replication control region of the IncFII R-plasmid NR1 *in vitro* and *in vivo*, 395
Transcriptional rate and mRNA stability changes in pituitary tumor cells. Regulation of growth hormone mRNA synthesis by dexamethasone and triiodothyronine, 41
Transfer RNA joined to aminoacyl-tRNA synthetase by directly photocrosslinked nucleotides in methionine and tyrosine systems, 93
Translational efficiency is affected by mutations upstream of the ribosome-binding site, 139
Triiodothyronine regulation of growth hormone mRNA synthesis. Transcriptional rate and mRNA stability changes in pituitary tumor cells, 41
Troponin C, thermodynamic study of domain organization, 533
Trypsin inhibitor, normal-mode dynamics, 423
Tsalkova, T. N. & Privalov, P. L., Thermodynamic study of domain organization in troponin C and calmodulin, 533
Tsutsumi, K., Mukai, T., Tsutsumi, R., Hidaka, S., Arai, Y., Hori, K. & Ishikawa, K., Structure and genomic organization of the rat aldolase B gene, 153
Tsutsumi, R. (see also Tsutsumi, K.), 153
Tumor cells, pituitary, transcriptional rate and mRNA stability changes; regulation of growth hormone mRNA synthesis by dexamethasone and triiodothyronine, 41
Turk, V. (see also Bode, W.), 331
Tyrosine systems, directly photocrosslinked nucleotides joining tRNA to aminoacyl-tRNA synthetase, 93
Tyrosine-specific protein kinase, genesis of an encoding retroviral oncogene; nucleotide sequence and topography of chicken c-*fps*, 175

Ultrasonic absorption in tobacco mosaic virus and its protein aggregates, 103
Unique region, short, in the genome of herpes simplex virus type 1, sequence determination and genetic content, 1

Vagner, V. (see also Brahms, J. G.), 455
Virus, herpes simplex type 2, sequence determination and genetic content of the short unique region in the genome, 1
Virus, tobacco mosaic, and its protein aggregates, ultrasonic absorption, 103

Wassarman, P. M. (see also Greve, J. M.), 253
Weber, P. C., Salemme, F. R., Lin, S. H., Konishi, Y. & Scheraga, H. A., Preliminary crystallographic data for cross-linked (lysine^{7}-lysine^{41})-ribonuclease A, 453
Weiss, M. C. (see also Sellem, C. H.), 363
Wells, J. R. E. (see also Wigley, P. L.), 449
Werner, D. (see also Neuer, B.), 15
Wigley, P. L., Sturm, R. A. & Wells, J. R. E., The tissue-specific chicken histone H5 gene is transcribed with fidelity in *Xenopus laevis* oocytes, 449
Winkelmann, D. A., Mekeel, H. & Rayment, I., Packing analysis of crystalline myosin subfragment-1. Implications for the size and shape of the myosin head, 487
Witz, J. (see also Michels, B.), 103
Wodak, S. J., Alard, P., Delhaise, P. & Renneboog-Squilbin, C., Simulation of conformational changes in 2 Zn insulin, 317
Womble, D. D., Sampathkumar, P., Easton, A. M., Lucknow, V. A. & Rownd, R. H., Transcription of the replication control region of the IncFII R-plasmid NR1 *in vitro* and *in vivo*, 395
Worcel, A. (see also Gargiulo, G.), 333
Xenopus histone gene injected into *Xenopus* oocytes, and the assembly of chromatin-specific hypersensitive sites, 333
Xenopus laevis oocytes, the chicken histone H5 gene is transcribed with fidelity, 449
X-ray data, preliminary, for the exocellular β-lactamase of *Bacillus licheniformis* 749/C, 145
X-ray diffraction data, preliminary, for chicken egg white cystatin, 331
Xenopus laevis tadpole hemoglobin. Correlation between structure and functional properties, 327

Yenofsky, R. (see also Krowzynska, A.), 231
Yi-Yi, Y. (see also Linder, P.), 383

Zhao, H. (see also Dideberg, O.), 145
2 Zn insulin, simulation of conformational changes, 317
Zona pellucida, mouse egg, is a matrix of interconnected filaments possessing a structural repeat, 253
Zuker, M. (see also Jacobson, A. B.), 517